

1989

Caprice



P O L I C E P A C K A G E

1989 SPECIFICATIONS

MODEL AVAILABLE AND STANDARD FEATURES



1989 CHEVROLET CAPRICE 4-DOOR SEDAN — 1BL69

- 5.0 Liter V8 Engine
- Automatic 4-speed Transmission with Overdrive
- Power Steering
- Air Conditioning
- Tinted Glass
- Power Front Disc/Rear Drum Brakes
- AM/FM Stereo Radio with Clock
- Full Wheel Covers



1989 DIMENSIONS AND CAPABILITIES

GENERAL

Wheelbase	116.0
Overall Length	212.2
Overall Width	75.4
Overall Height	56.4
Tread-Front	61.7
Tread-Rear	60.7

FRONT COMPARTMENT

Head Room	39.5
Shoulder Room	60.5
Hip Room	55.0
Leg Room (Maximum)	42.2

REAR COMPARTMENT

Head Room	38.2
Shoulder Room	60.5
Hip Room	55.3
Leg Room (Minimum)	39.1

LUGGAGE COMPARTMENT CAPACITY

With Space-Saver Spare (cu. ft.)	20.9
--	------

FUEL TANK CAPACITY

(gal.)	25.0
--------------	------

NOTE:

Dimensions in inches unless otherwise specified

1989 CHEVROLET POLICE VEHICLE

SPECIAL EQUIPMENT OPTION (SEO) 9C1



STANDARD FEATURES INCLUDE:

- Full Perimeter Frame with Increased Gage of Certain Frame Members
- 8.5" Ring Gear Rear Axle
- Large Bolt Circle 15" x 7" Wheels
- Special Police Pursuit Suspension Includes Front and Rear Stabilizer Bar, Special Springs and Shocks, Firm-Feel Steering, and Specific Body Mounts
- Larger Radiator
- Special Balanced Drive Shaft
- Heavy-Duty Battery Equivalent to 68 amp-hour, 730 CCA, 115 minutes RC
- Special Calibrated Transmission
- A/C WOT Cut-Off Switch (5.7L V8 only)
- A/C Head Pressure Switch (5.7L V8 only)
- External Engine Oil Cooler
- Anti-Corrosion Hot Melt Pads Under Front and Rear Floor Insulators
- Heavy-Duty Front and Rear Brakes with Semi-Metallic Front Brake Lining and 11" x 2" Rear Brake Drums
- Dual Outside Rearview Mirrors, Left and Right Hand Remote
- Radio Bonding Strap Package
- Provision for Horn/Siren Circuit Connection

OPTIONS

THE FOLLOWING OPTIONS MUST BE ORDERED WITH 9C1 POLICE EQUIPMENT



ENGINE AND POWERTRAIN COMBINATIONS

THREE ENGINES AVAILABLE

All Require Ordering SEO 7L1 Generator with 120 AMP.

Engines	Type	Displacement Liters/Cu.In.	Engine Fuel System	Transmission	Axle	Axle Ratio	Horse- power	Torque Ft. Lb.	Fuel* Economy City/Hwy
LB4	V6	4.3/262	Electronic	MXO 700R-4	GU4	3.08	140 @ 4200 rpm	225 @ 2000 rpm	19/27
			Fuel	4-speed					
			Injection	Auto w/OD					
LO3	V8	5.0/305	Electronic	MXO 200R-4	GU4	3.08	170 @ 4400 rpm	255 @ 2400 rpm	17/25
			Fuel	4-speed					
			Injection	Auto w/OD					
LO5**	V8	5.7/350	Electronic	MXO 700R-4	GU6	3.42	190 @ 4400 rpm	285 @ 2400 rpm	14/20
			Fuel	4-speed					
			Injection	Auto w/OD					

* Projected EPA city label values

** It is General Motors policy that the Chevrolet Caprice Police Package equipped with the 5.7L engine be sold only for usage by U.S., state, or local government primarily for police, law enforcement, or fire-fighting purposes.

SPEEDOMETERS

TWO SPEEDOMETERS AVAILABLE

SEO 7Z9 120 mph Special Police (2 mph increments 120 mph maximum)

SEO 7Z8 85 mph Production Type



**6C1
FULL BENCH**



**6F3
SPLIT 50/50**

**6C4
SPLIT 45/45**



**6G3
SPLIT 50/50
w/ARMREST**



SEATS

HEAVY-DUTY FRONT SEATS — Recommended Seats for Police Usage MUST ORDER BOTH FRONT AND REAR

Seat Type	SEO 6R6 Vinyl (Front/Rear)	SEO 6R7 Cloth (Front/Rear)	SEO 6R8 Cloth-Front Vinyl-Rear	RPO AG1/AG2 Six-Way Power Seats Available
SEO 6C1 Full Bench	Dark Blue GDD1	Dark Blue PDD1	Dark Blue TDD1	N/A
	Light Brown GEE1	Light Brown PEE1	Light Brown TEE1	
SEO 6C4 Split 45/45	Dark Blue GDD4	Dark Blue PDD4	Dark Blue TDD4	Driver Only*
	Light Brown GEE4	Light Brown PEE4	Light Brown TEE4	
SEO 6F3 Split 50/50	Dark Blue GDD3	Dark Blue PDD3	Dark Blue TDD3	Driver and Passenger*
	Light Brown GEE3	Light Brown PEE3	Light Brown TEE3	
SEO 6G3 Split 50/50 w/Armrest	Dark Blue GDD3	Dark Blue PDD3	Dark Blue TDD3	Driver and Passenger*
	Light Brown GEE3	Light Brown PEE3	Light Brown TEE3	
SEO 6C2 Full Bench Rear	Required When Heavy-Duty Front Seat is Ordered			Color and Upholstery Selected for Heavy-Duty Front Seat Determines Rear Seat
	Color and Upholstery Selected for Heavy-Duty Front Seat Determines Rear Seat			

* A31 Power Windows are Required with AG1/AG2 Power Seats

REGULAR PRODUCTION SEATS

Not Recommended for Police Usage

Seat Type	Location	Trim	RPO AG1/AG2 Six-Way Power Seats Available
Full Bench w/Armrest	Front	RPO Trim	N/A
Split 50/50 w/Armrest	Front	RPO Trim	Driver and Passenger*
Full Bench	Rear	RPO Trim	

* A31 Power Windows are Required with AG1/AG2 Power Seats



**FULL BENCH
w/ARMREST**



**SPLIT 50/50
w/ARMREST**

SEATS

REGULAR PRODUCTION SEATS — cont.
Not Recommended for Police Usage

Upholstery	Color	Bench w/Armrest RPO Trim		Split 50/50 w/Armrest RPO Trim	
		Cloth	Vinyl	Cloth	Vinyl
Cloth or Vinyl	Dark Blue	CDD1	VDD1	CDD3	VDD3
	Gray	CQQ1	VQQ1	CQQ3	VQQ3
	Maroon	CFF1	VFF1	CFF3	VFF3
	Light Brown	CEE1	VEE1	CEE3	VEE3

TIRES

SPEED RATED **RECOMMENDED FOR POLICE USAGE — Requires SEO 9A3 Speedometer Gear**

SEO No.	Quantity	Size	Type
5AQ	Five	P225/70HR15 SBR Blackwall	All Season
5AN	Five	P225/70HR15 SBR White Stripe	All Season

AVAILABLE

SEO No.	Quantity	Size	Type
5JK*	Five	P225/70HR15 SBR Blackwall	Highway
5JJ*	Five	P225/70HR15 SBR White Stripe	Highway

NON SPEED RATED **NOT RECOMMENDED FOR POLICE USAGE**

RPO No.	Quantity	Size	Type
QCE/SA	Four (Space-Saver Spare)	P205/75R15 SBR Blackwall (Standard)	All Season
QCG/SA	Four (Space-Saver Spare)	P205/75R15 SBR White Stripe (Available)	All Season

* Not available with RPO LB4 V6 Engine

ADDITIONAL SPECIAL EQUIPMENT OPTIONS AVAILABLE

SEO No.	DESCRIPTION
1Z2	ANTI-CORROSION — hot melt pads under front and rear floor insulators (included with 9C1)
6F8	ASHTRAY — auxiliary located in front doors
6C9	CONDUIT — 38.1mm diam. conduit routed inside from dash to trunk (not available with AG2 passenger power seat)
7L8	COOLING HEAVY DUTY — Transmission oil
7L9	COOLER — Power steering fluid
7P8	COOLER — engine oil auxiliary (included with 9C1)
7Z5	FUSE BLOCK — auxiliary provides six additional fused circuits at 20 amps each (not available with 6J1 wiring)
7Z4	GAGES — voltmeter, oil pressure, and water temperature
7L1	GENERATOR — 120 amp Delcotron 50 amp at idle (required with 9C1)
6B2	HANDLES — inoperative rear door
6N1	HANDLE — inside driver door, unlocks and opens door simultaneously
6N5	HANDLES — rear window inoperative (handles removed or power disconnected)
6B7	HOLE IN ROOF PANEL — on roof centerline (requires 6F5 wiring; not available with 6J5 hole in roof panel)
6J5	HOLE IN ROOF PANEL — on right side (requires 6F5 wiring; not available with 6B7 hole in roof panel)
1E2	HOSE CLAMPS — worm drive, RPO L05 5.7L V8 engine only (included with 1T1)
1T1	HOSES — Silicone radiator and heater with worm drive gear clamps (not available on RPO LB4 V6 engine)
1V2	HUBCAP UNIT — replaces standard full wheel covers
6E2	KEY SINGLE LOCKING — fleet coded alike (3 keys), when N33 Comfortilt steering wheel is specified CD4 intermittent wipers are required
6A4	KEY SINGLE LOCKING — single vehicle (3 keys), when N33 Comfortilt steering wheel is specified CD4 intermittent wipers are required
7Y2	LAMP — door open warning
6C5	LAMP — dome and reading (map light)
6C7	LAMP — extra dome between visors with switch at lamp
6J6	LAMPS — rear window auxiliary turn signal and stop (two 4-inch round, red)
7Y1	LAMP — underhood
6N6	LOCKS — inoperative rear door (manual or power)

SEO No.	DESCRIPTION
6A3	MAT — floor, heavy duty rubber front and rear
6G2	REINFORCEMENT — roof for center mounted aftermarket roof lights/siren (longitudinal on roof centerline from windshield to first roof bow)
6C1	SEAT — heavy duty construction front bench
6C4	SEAT — heavy duty construction front 45/45 (approximately 10 inch space between seats)
6F3	SEAT — heavy duty construction front split 50/50 (without armrest)
6G3	SEAT — heavy duty construction front split 50/50 (with armrest)
6C2	SEAT — heavy duty construction rear bench
6R6	SEAT UPHOLSTERY — seamless heavy duty vinyl dark blue or light brown, front/rear
6R7	SEAT UPHOLSTERY — heavy duty cloth dark blue or light brown, front/rear
6R8	SEAT UPHOLSTERY — heavy duty cloth front with seamless heavy duty vinyl rear in dark blue or light brown
6Z1	SPEEDOMETER — cable two-piece (for use with VASCAR)
9A3	SPEEDOMETER — gear change
7Z8	SPEEDOMETER — production type, 85 mph maximum
7Z9	SPEEDOMETER POLICE TYPE — 2 mph increments, 120 mph maximum
7X6	SPOTLIGHT L.H. — Unity 225, 6 inch halogen (independently fused)
7X7	SPOTLIGHT L.H. AND R.H. — Unity 225, 6 inch halogen (independently fused)
7Y6	SWITCH — door jamb inoperative for dome light (front and rear)
6C6	SWITCHES — rear door jamb (operates dome lamp)
6B4	TIRE RELOCATION — spare tire relocated in horizontal position on L.H. side rear luggage compartment floor
5AN	TIRES — P225/70HR15 SBR white stripe, all season, 5 tires alike, speed-rated (requires SEO 9A3 speedometer gear change)
5AQ	TIRES — P225/70HR15 SBR blackwall, all season, 5 tires alike, speed-rated (requires SEO 9A3 speedometer gear change)
5JJ	TIRES — P225/70HR15 SBR white stripe, 5 tires alike, speed-rated (requires SEO 9A3 speedometer gear change)
5JK	TIRES — P225/70HR15 SBR blackwall, 5 tires alike, speed-rated (requires SEO 9A3 speedometer gear change)
1K5	TRANSMISSION — low gear blockout
6H6	TRUNK OPENER — electric in dash (right of steering column)

SEO No.	DESCRIPTION
6C8	WIRING PROVISION— RG58 A/U coaxial radio antenna cable (behind dome lamp to trunk)
6F5	WIRING PROVISION — eight 12 gauge and two 10 gauge from dash to roof
WX7	WIRING PROVISION — 42 inch auxiliary speaker wires
6J1	WIRING PROVISION — auxiliary power supply with circuit breakers and ignition control (not available with 7Z5 fuse block)
6J2	WIRING AND FLASHER PROVISION — for aftermarket grille lamp installation (not available with 6J3 wiring)
6J3	WIRING AND FLASHER PROVISION — for aftermarket grille lamps and grille speaker installation (not available with 6J2 wiring)
6J4	WIRING PROVISION — for aftermarket horn/siren installation

REGULAR PRODUCTION OPTIONS AVAILABLE

RPO No.	DESCRIPTION
AG1	ADJUSTER — six-way power seat, driver
AG2	ADJUSTER — six-way power seat, passenger
G80	AXLE — rear, limited slip differential
V30	BUMPER GUARDS — front/rear (requires RPO VE5 bumper strip)
VE5	BUMPER STRIP — front/rear
C49	DEFOGGER — rear window, electric
AU3	DOOR LOCKS — power
C41	HEATER — with fan (replaces air conditioning), available with LB4 V6 engine only
TR9	LIGHTING — auxiliary
B84	MOLDINGS — body side
UL5	RADIO DELETE
K34	SPEED CONTROL — electronic, with resume speed
N33	STEERING WHEEL — Comfortilt
A90	TRUNK OPENER — electric in dash (left side of steering column)
A31	WINDOWS — power
CD4	WINDSHIELD WIPER SYSTEM — intermittent