

The image features a large, faint outline of the Chevrolet bowtie logo centered in the upper half. The background is a dark blue with a subtle, repeating pattern of diagonal lines.

**1992 Caprice
Police Package**



Chevrolet Caprice 4-Door Sedan

1992 Dimensions and Capacities

General

| | |
|--------------------------|-------|
| Wheelbase | 115.9 |
| Overall Length | 214.1 |
| Overall Width | 77.0 |
| Overall Height | 56.7 |
| Tread – Front | 61.8 |
| Tread – Rear | 60.7 |

Luggage Compartment Capacity

| | |
|--|------|
| With Space-Saver Spare (cu. ft.) | 20.4 |
|--|------|

Fuel Tank Capacity

| | |
|------------------|------|
| (gal.) | 23.0 |
|------------------|------|

Front Compartment

| | |
|------------------------------|------|
| Head Room | 39.3 |
| Shoulder Room | 63.4 |
| Hip Room | 57.0 |
| Leg Room (Maximum) | 42.2 |

Rear Compartment

| | |
|------------------------------|------|
| Head Room | 38.1 |
| Shoulder Room | 63.4 |
| Hip Room | 56.9 |
| Leg Room (Minimum) | 39.5 |

Note:

Dimensions in inches unless otherwise specified.

Chevrolet Caprice 4-Door Sedan (1BL19)

Preferred Equipment Group BLAB

Standard Features Include:

- 5.0 Liter V8 engine with EFI
- 4-speed automatic overdrive transmission
- Air Conditioning
- All-season steel-belted radial ply tires (P215/75R-15 blackwall)
- Base-coat/clear-coat paint
- Body-side moldings
- Brakes: Four-wheel anti-lock brake system ABS (front disc/rear drum)
- Child security rear door locks
- Cloth bench seats with front center armrest
- Comfortilt steering wheel
- Composite halogen headlamps
- Driver's side (air bag) Supplemental Inflatable Restraint System, manual lap/shoulder safety belts for all outboard seating positions; manual lap safety belts, center seating positions
- Dual outside rearview mirrors (LH remote)
- Electric speedometer with trip odometer
- Front ashtray with lamp, cup holders and coin holder
- Full coil suspension
- Full Frame
- Full Wheel Covers
- Glove box lamp
- Headlamps-on reminder tone
- Instrument panel courtesy lamps
- Intermittent windshield wipers
- In-trunk cargo net
- Luggage compartment lamp
- Power Steering
- **Scotchgard™** Fabric Protector
- Side window defoggers
- Stainless steel exhaust
- 15" x 7" steel wheels
- AM/FM stereo with seek-scan, digital clock and dual front door mounted and dual package shelf mounted speakers
- Tinted Glass
- Underhood lamp
- Wet-arm windshield washer system
- Wheel-opening moldings

Special Equipment Options

Caprice 9C1 Police Package

Standard Features

NOTE: To order Caprice Police Package, model 1BL19 and Base Equipment Group BLAB plus 9C1 must be ordered. Additional RPO and SEO options may be ordered.

- Heavy duty full perimeter frame
- 8.5" ring gear rear axle
- Special Police Pursuit Suspension includes front and rear stabilizer bars, special springs and shocks, firm-feel steering, and specific body mounts
- Goodyear Tires, P225/70HR15 SBR Blackwall "Speed Rated" All Season with full size spare tire (with 5.0L Engine)
- Semi-metallic non-asbestos front and rear brake linings with heavy duty rear brake drums and larger rear wheel cylinders
- Cooling Package, larger radiator with viscous clutch 7 blade fan includes heavy duty transmission oil cooler integral with radiator
- Engine oil cooler (external)
- Power steering fluid cooler (external)
- Alternator 124 amp Delcotron (55 amp at idle)
- Maintenance Free heavy-duty battery equivalent to 69 amp-hour, 730 CCA, 115 minutes RC
- Special calibrated transmission
- Air Conditioning wide open throttle cut-off
- Air Conditioning head pressure relief
- Transmission Low Gear Blockout (prevents manual downshift to first gear)
- Hoses – silicon radiator and heater includes worm drive hose clamps
- Special Balanced Drive Shaft (5.7 Liter Engine Only)
- Digital Speedometer Certified 1 MPH increments 0 to 199 MPH, includes: Trip Odometer, Tachometer, Gauges (Oil, Temp, Volts) plus Warning Lights
- Production Carpeting
- Anti-Corrosion Hot Melt Pads under front and rear floor insulators
- Radio Bonding Strap Package
- Provision for Horn/Siren Circuit Connection (also used with Option 6J4)
- Trunk Opener, electric left-side of steering column
- Single Key Locking System – random key code for each vehicle; one key operates ignition and all other locks. (For single key to operate entire fleet, see Fleet Coded Single Key Locking System on page 14.)
- Heavy duty bench seats with front seat armrest – cloth trim
- Auxiliary Fuse Block provides six additional fused circuits at 20 amps each
- Full stainless steel wheel covers

Caprice Classic Z09 Police Package

Standard Features

NOTE: To order Caprice Classic Police Package, model 1BN19 and Base Equipment Group BNAB plus Z09 and 9C1 must be ordered. Additional RPO and SEO options may be ordered.

- 15" x 7" Aluminum Wheels
- Carpeted front and rear floor mats
- Cloth 55/45 split seat with armrest (not heavy duty)
- Deluxe interior trim including trunk
- Door-mounted courtesy lamps
- Dual reading lamps in rear-view mirror
- "Caprice Classic" exterior emblems
- Body side pin striping
- Power door locks
- Power windows
- AM/FM stereo with seek-scan, stereo cassette tape player with auto reverse, Extended Range Sound System, and digital clock

Engine and Powertrain Combinations

Two Engines Available

| Engines | Type | Displacement Liters/Cu.In. | Engine Fuel System | Transmission | Axle | Axle Ratio | Horse- power | Torque Ft. Lb. | Fuel* Economy City/Hwy |
|-----------------|------|-------------------------------|---------------------------------|----------------------------------|------|---------------|-------------------|-------------------|------------------------------|
| L03 STANDARD | V8 | 5.0/305 | Electronic Fuel Injection | MXO 4L60 4-speed Auto w/OD | GM8 | 2.56 | 170 @ 4200 rpm | 255 @ 2400 rpm | 17/26 |
| L03 OPTIONAL | V8 | 5.0/305 | Electronic Fuel Injection | MXO 4L60 4-speed Auto w/OD | GU4 | 3.08 | 170 @ 4200 rpm | 255 @ 2400 rpm | 17/26 |
| L05** | V8 | 5.7/350 | Electronic Fuel Injection | MXO 4L60 4-speed Auto w/OD | GU6 | 3.42 | 205 @ 4200 rpm | 300 @ 2400 rpm | 14/20 |

* Projected EPA city label values

** It is General Motors policy that the Chevrolet Caprice Police Package equipped with the 5.7L engine be sold only for usage by U.S., state, or local government primarily for police, law enforcement, or fire-fighting purposes.

Tires

Speed Rated

| SEO No. | Manufacturer | Quantity | Size | Speed Rating | Type |
|--------------------------------|--------------|----------|-----------------------------|-----------------|---------------------------|
| QQG & R4Y* | Goodyear | Five | P235/70R15 SBR Blackwall | V | All Season (Eagle GT + 4) |
| QQR* | Goodyear | Five | P235/70R15 SBR White Stripe | V | All Season (Eagle GT + 4) |
| 5AQ & R4Y Included with 9C1 | Goodyear | Five | P225/70R15 SBR Blackwall | H | All Season (Eagle GT + 4) |
| 5AQ & R4Z | General | Five | P225/70R15 SBR Blackwall | H | All Season (XP2000AS) |
| 5AN | General | Five | P225/70R15 SBR White Stripe | H | All Season (XP2000AS) |

* Required with L05 (5.7L) Engine. (If P225/70R15 tires are ordered with the L05 (5.7L) Engine, option VZ2 Speed Limiter (130 mph) is required.)

NOTE: Speed ratings at 35 psi; 'H' rating 130 mph, 'V' rating 149 mph.

Seats

Heavy-Duty Seats – *Front and Rear*

| Seat Type | Vinyl (Front/Rear) | | Cloth (Front/Rear) | | Cloth-Front Vinyl-Rear | | Power Seats Available |
|---|--|-------------|--------------------|-------------|------------------------|-------------|------------------------------------|
| A52 Full Bench (Std. w/9C1) | Dark Blue | GDD1 | Dark Blue | PDD1 | Dark Blue | TDD1 | N/A |
| | Camel | GEE1 | Camel | PEE1 | Camel | TEE1 | |
| AS7 Split 45/45 w/reclining seat back | Dark Blue | GDD4 | Dark Blue | PDD4 | Dark Blue | TDD4 | Driver Only * |
| | Camel | GEE4 | Camel | PEE4 | Camel | TEE4 | |
| AM6 Split 55/45 w/Armrest, reclining seat back | Dark Blue | GDD5 | Dark Blue | PDD5 | Dark Blue | TDD5 | Driver and Passenger w/o 6C9 |
| | Camel | GEE5 | Camel | PEE5 | Camel | TEE5 | |
| | Maroon | GFF5 | Maroon | PFF5 | Maroon | TFF5 | |
| | Gray | GQQ5 | Gray | PQQ5 | Gray | TQQ5 | |
| Full Bench Rear | Heavy-Duty Rear Seat is included when Heavy-Duty Front Seat is Ordered | | | | | | |
| | Color Selected for Front Seat Determines Rear Seat | | | | | | |

* AA7 Power Windows are required with AG1 Power Seats

Note: Trim material will be same cloth as standard Caprice cloth.

Caprice Classic Seats — *Not Heavy Duty*

| Seat Type | Cloth (Standard) | | Leather | | Power Seats Available |
|--|------------------|-------------|-----------|-------------|-----------------------|
| AM6 Split 55/45 with Armrest reclining seat back | Dark Blue | CDD5 | Dark Blue | ADD5 | Driver and Passenger |
| | Camel | CEE5 | Camel | AEE5 | |
| | Gray | CQQ5 | Gray | AQQ5 | |
| | Maroon | CFF5 | Maroon | AFF5 | |

Note: Trim will be same as Caprice Classic.

Special Equipment Options

For detailed descriptions of Special Equipment Options, see pages 10 thru 19.

| Opt. No. | Description | Caprice | Caprice Classic |
|----------|--|---------|-----------------|
| U75 | ANTENNA — Power | N/A | N/A |
| 6F8 | ASHTRAY — Auxiliary, located in front doors | 0 | N/A |
| 6C9 | CONDUIT — Routed from dash to trunk. Requires 6A3 (N/A with AG2) | 0 | N/A |
| 6A3 | COVERING — Rubber floor replaces production carpeting | 0 | N/A |
| 6N1 | HANDLE — Driver door unlock | 0 | 0 |
| 6B2 | HANDLES — Rear door inoperative | 0 | 0 |
| 6N5 | HANDLES — Rear window inoperative | 0 | 0 |
| 6B7 | HOLE IN ROOF — On centerline (Reqs. 6F5) N/A with 6J5 | 0 | 0 |
| 6J5 | HOLE IN ROOF — On right side (Reqs. 6F5) N/A with 6B7 | 0 | 0 |
| 6A5 | KEYS — Single key locking system, entire fleet coded alike (specific code) | 0 | 0 |
| 6E2 | KEYS — Single key locking system, entire fleet coded alike (specific code) | 0 | 0 |
| 6E8 | KEYS — Single key locking system, entire fleet coded alike (specific code) | 0 | 0 |
| 6C7 | LAMP — Auxiliary dome | 0 | 0 |
| 7Y2 | LAMP — Door open warning (N/A with 7Y6) | 0 | N/A |
| 7Y6 | LAMP — Inoperative dome (N/A with 7Y2) | 0 | 0 |
| 6J6 | LIGHTS — Rear panel | 0 | 0 |
| T53 | LIGHTS — Trunk lid warning | 0 | 0 |
| 6N6 | LOCKS — Rear door inoperative | 0 | 0 |
| B48 | MAT — Rubber trunk (replaces base felt mat) | 0 | N/A |
| B81 | MOLDING DELETE — All body side | 0 | N/A |
| 6Y1 | MOLDING DELETE — Body side, front doors only | 0 | 0 |
| 6G2 | ROOF REINFORCEMENT — Plate located on centerline of vehicle | 0 | 0 |
| 6Z3 | SENSOR — Vehicle speed for use with VASCAR | 0 | 0 |
| 8X3 | SHOCKS — Bilstein (replaces production shocks) | 0 | 0 |
| 01U | SPECIAL PAINT | 0 | N/A |
| VZ2 | SPEED LIMITER.— Required with 5.7 Liter (LO5) engine when P225/70R15 tires are ordered; limits top speed of vehicle to 130 MPH | 0 | 0 |

Special Equipment Options — (Cont.)

| Opt. No. | Description | Caprice | Caprice Classic |
|----------|---|---------|-----------------|
| 7X9 | SPOTLIGHT PROVISION — Left and right hand | 0 | 0 |
| 7X8 | SPOTLIGHT PROVISION — Left hand | 0 | 0 |
| 7X7 | SPOTLIGHTS — Left and right hand | 0 | 0 |
| 7X6 | SPOTLIGHT — Left hand | 0 | 0 |
| 6B4 | TIRE RELOCATION — Spare tire relocated | 0 | 0 |
| 6H6 | TRUNK OPENER — Right side of steering column | 0 | N/A |
| P03 | WHEEL COVERS — Full stainless steel covers | S | N/A |
| PB2 | WHEEL COVERS — Styled wheel covers | 0 | N/A |
| WX7 | WIRING — Auxiliary speaker | 0 | 0 |
| 6C8 | WIRING — Coaxial radio antenna cable | 0 | 0 |
| 6J2 | WIRING — For flasher and grille lights | 0 | 0 |
| 6J3 | WIRING — For flasher, grille lights and speakers (N/A with 6J2) | 0 | 0 |
| 6J4 | WIRING — For horn/siren circuit | 0 | 0 |
| 6J1 | WIRING — Ignition and main power supply | 0 | 0 |
| 6F5 | WIRING — Roof, 10 wire (Requires 6B7 or 6J5) | 0 | 0 |

Regular Production Options

| Opt. No. | Description | Caprice | Caprice Classic |
|----------|---|---------|-----------------|
| AG1 | ADJUSTER — Six-way power seat, driver (Requires AA7) | 0 | 0 |
| AG2 | ADJUSTER — Six-way power seat, passenger; N/A with 6C9 (Requires AG1) | 0 | 0 |
| G80 | AXLE — Rear, limited slip differential | 0 | 0 |
| C49 | DEFOGGER — Rear window | 0 | 0 |
| UW1 | DIAGNOSTIC SYSTEM — (Indicates low levels of coolant, fuel, engine oil and windshield washer fluid) | N/A | N/A |
| AU3 | DOOR LOCKS — Power | 0 | S |
| K05 | HEATER — Engine block | 0 | 0 |
| AU0 | KEYLESS ENTRY | N/A | N/A |
| DC4 | LAMPS — Dual reading included with inside rearview mirror | 0 | S |
| C71 | LAMPS — Front door courtesy | N/A | S |
| T87 | LAMPS — Cornering | N/A | N/A |
| B37 | MATS — Carpeted front and rear (N/A with 6A3) | 0 | S |
| DL8 | MIRRORS — Heated electric outside rear view | N/A | N/A |
| D64 | MIRRORS — Lighted vanity | N/A | N/A |
| DG7 | MIRRORS — Outside dual electric remote (Requires AU3) | 0 | 0 |
| D84 | PAINT — Two tone | N/A | 0 |
| D85 | PIN STRIPING — Body side | N/A | S |
| UL5 | RADIO DELETE — Speakers, speaker wires and antenna remain | 0 | 0 |
| U1C | RADIO — AM/FM seek-scan compact disc with digital clock | N/A | N/A |
| UM6 | RADIO — AM/FM stereo, seek/scan with cassette and digital clock | 0 | S |
| UU8 | RADIO — Delco/Bose AM/FM seek-scan cassette with digital clock | N/A | N/A |
| U1B | RADIO — Delco/Bose AM/FM seek-scan compact disc with digital clock | N/A | N/A |
| K34 | SPEED CONTROL — Electronic, with resume speed | 0 | 0 |
| V92 | TRAILERING PACKAGE | N/A | N/A |
| B18 | TRIM — Deluxe interior includes trunk | N/A | S |
| N91 | WHEEL COVERS — Wire with locks (Requires Steel Wheels) | N/A | 0 |
| PD4 | WHEELS — Aluminum 15" x 17" | N/A | S |
| AA7 | WINDOWS — Power with driver express down | 0 | S |