

1 9 9 3

CAPRICE

SPECIAL

SERVICE

STATION

WAGON

PASSPORT

CRIME SCENE



# 1993 Dimensions and Capacities

## General

Wheelbase .....	115.9
Overall Length .....	217.3
Overall Width .....	79.6
Overall Height .....	60.9
Tread-Front .....	62.1
Rear .....	64.1

## Interior

Head Room-Front .....	39.7
Rear .....	39.6
3rd Seat .....	36.7
Shoulder Room-Front .....	63.4
Rear .....	63.4
3rd Seat .....	48.6
Hip Room-Front .....	56.9
Rear .....	57.1
3rd Seat .....	43.7
Leg Room-Front .....	42.2
Rear .....	38.0
3rd Seat .....	30.5

## Cargo Compartment

Cargo Volume (cu. ft., with rear seats down) .....	92.7
Cargo Length (2nd seat up) .....	54.7
Cargo Width (at wheelhousing) .....	48.7

Rated Fuel Tank Capacity (gal.) .....	22
---------------------------------------	----

*Note: Dimensions in inches unless otherwise specified.*

# Chevrolet Caprice Classic 4-Door Station Wagon

## Model 1BL35 Preferred Equipment Group BWAB

---

### Standard Features Include:

- 5.0 Liter V8 with EFI
- 4-speed automatic overdrive transmission
- Air Conditioning
- All-season steel-belted radial P225/75R-15 w/s tires
- 8.5" Ring Gear Rear Axle
- 15" x 7" steel wheels
- Base-coat/ clear-coat paint
- Body-side Moldings
- Brakes: Four-wheel anti-lock brake system ABS (front disc/rear drum) with semi-metallic non-asbestos front and rear brake linings
- Child security rear door locks
- Cloth bench seats with front center armrest
- Comfortilt steering wheel
- Composite halogen headlamps
- Driver's side (air bag) Supplemental Inflatable Restraint System, manual lap/shoulder safety belts for all outboard seating positions; manual lap safety belts, center seating positions
- Dual outside rearview mirrors (LH remote)
- Electric speedometer with trip odometer
- Front ashtray with lamp, cup holders and coin holder
- Full coil suspension
- Quiet sound package
- Full Frame
- Full Wheel Covers
- Glove box lamp
- Headlamps-on reminder tone
- Intermittent windshield wipers
- Luggage rack
- Power Steering
- Rear window washer and wiper
- Rear compartment lamp
- Scotchgard™ Fabric Protector includes carpeting
- Side window defoggers
- Stainless steel exhaust
- AM/FM stereo radio with seek/scan, digital clock and dual front door mounted and dual package shelf mounted speakers
- Tinted Glass
- Underhood lamp
- Wet-arm windshield washer system

# Special Equipment Option 1A2 Special Service Station Wagon

---

*To order Caprice Classic Special Service Station Wagon, model 1BL35 and Base Equipment Group BWAB plus 1A2 must be ordered. Additional RPO and SEO options may be ordered.*

## **1A2 Standard Features Include:**

- 5.7 Liter Engine
- Tires, P225/70R15 SBR Blackwall "Speed Rated" all season with full size spare tire  
(see tire chart for tire availability)
- Cooling Package, larger radiator with viscous clutch 7 blade fan includes heavy duty transmission oil cooler integral with radiator
- Engine oil cooler (external)
- Power Steering Fluid Cooler (external)
- Alternator 140 amp Delcotron (50 amp at idle)
- Maintenance Free heavy-duty battery equivalent to 69 amp-hour, 730 CCA, 115 minuted RC
- Doors and tailgate open warning light
- Air conditioning wide open throttle cut-off
- Air conditioning head pressure relief
- Transmission Low Gear Blockout (prevents manual downshift to first gear)
- Hoses-silicon radiator and heater includes worm drive hose clamps
- Digital Speedometer Certified 1 MPH increments 1 to 199 MPH, includes: Trip Odometer, Tachometer, Gauges (Oil, Temp, Volts) plus Warning Lights
- Production Carpeting includes: front seat foot well, 2nd seat foot well, load floor and 3rd seat foot well
- Anti-Corrosion Hot Melt Pads under front and rear floor insulators
- Radio Bonding Strap Package
- Provision for Horn/Siren Circuit Connection (connection is used when Option 6J4 is ordered)
- Auxiliary dome lamp
- Single Key Locking System (3 keys random code)
- Heavy duty front bench seat with front seat armrest-cloth trim
- Auxiliary Junction Block in engine compartment
- Auxiliary Fuse Block provides six additional fused circuits at 20 amps each
- Full stainless steel wheel covers

# Powertrain

ENGINES	TYPE	DISPLACEMENT LITERS/CU.IN.	ENGINE FUEL SYSTEM	TRANSMISSION	AXLE	AXLE RATIO	HORSE POWER	TORQUE Ft.Lb.	FUEL ECONOMY CITY/HWY
<b>LO5</b> Incl. W/1A2	V8	5.7/350	Electronic Fuel Injection	MXO 4L60 4-speed Auto w/OD	GU5	3.23	180 @ 4000 rpm	300 @ 2400 rpm	*16/25

\*Projected EPA label values

## Tires: Speed Rated (must order one)

### INCLUDED with 1A2 Special Service Package

SEO No.	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
5AQ & R4Y	Goodyear	Five	P225/70R15 SBR Blackwall	H	All Season (Eagle GT + 4)
5AQ & R4Z	General	Five	P225/70R15 SBR Blackwall	H	All Season (XP2000AS)

### OPTIONAL with 1A2 Special Service Package

SEO No.	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
5AN	General	Five	P225/70R15 SBR White Stripe	H	All Season (XP2000AS)

Note: Speed ratings at 35 psi; 'H' rating 130 mph.

# Seats

## Heavy-Duty Front Seats

SEAT TYPE	VINYL (FRONT/REAR)		CLOTH (FRONT/REAR)		CLOTH-FRONT VINYL-REAR		AG1 SIX-WAY POWER SEATS AVAILABLE
<b>Full Bench</b> A52 (Incl. w/1A2)	Dark Blue	GDD1	Dark Blue	PDD1	Dark Blue	TDD1	N/A
	Beige	GEE1	Beige	PEE1	Beige	TEE1	
<b>Split 45/45</b> AS7 w/reclining seat back	Dark Blue	GDD4	Dark Blue	PDD4	Dark Blue	TDD4	Driver Only*
	Beige	GEE4	Beige	PEE4	Beige	TEE4	
<b>Split 55/45</b> AM6 w/armrest, reclining seat back	Dark Blue	GDD5	Dark Blue	PDD5	Dark Blue	TDD5	Driver Only*
	Beige	GEE5	Beige	PEE5	Beige	TEE5	
Fold Down 2nd and 3rd Seat	2nd Seat is not Heavy Duty. 3rd Seat is not Heavy Duty and is only available in vinyl trim.						
	Color Selected for Front Seat Determines Rear Seat						

\* AA7 Power Windows are required with AG 1 Power Seats

*Note: Trim material will be same cloth as standard Caprice Classic cloth.*

# Special Equipment Options

---

---

Opt.

No. Description

6F8	ASHTRAY-Auxiliary, located in front doors
6A3	COVERING-Rubber floor replaces production carpeting
6N1	HANDLE-Inside driver door releases lock when opening door
6B2	HANDLES-Rear door inoperative (doors can only be opened from outside, remote rod is shipped loose in rear compartment for future installation)
6N5	HANDLES-Rear window inoperative
6B7	HOLE IN ROOF-On centerline (Requires 6F5) N/A with 6J5
6J5	HOLE IN ROOF-On right side (Requires 6F5) N/A with 6B7
6A5	KEYS-Single key locking system, fleet coded alike (specific code)
6E2	KEYS-Single key locking system, fleet coded alike (specific code)
6E8	KEYS-Single key locking system, fleet coded alike (specific code)
7Y6	LAMP-Inoperative Dome
B81	MOLDING DELETE-All body side
6Y1	MOLDING NON-INSTALLED-Body side, front doors only
B3H	PAINTED LOAD FLOOR-Replaces production carpeting (Requires 6Y2)
6G2	ROOF REINFORCEMENT-Plate located on centerline of vehicle
6Z3	SENSOR-Vehicle speed for use with VASCAR
7X6	SPOTLIGHT-Left hand
7X7	SPOTLIGHTS-Left and right hand
7X8	SPOTLIGHT PROVISION-Left hand
7X9	SPOTLIGHT PROVISION-Left and right hand
WX7	WIRING-Auxiliary speaker
6J2	WIRING-For flasher and grille lights
6J3	WIRING-For flasher, grille lights and speakers (N/A with 6J2)
6J4	WIRING-For horn/siren circuit
6J1	WIRING-Ignition and main power supply
6F5	WIRING-Roof, 10 wires (Requires 6B7 or 6J5)

*For Detailed Descriptions of Special Equipment Options, see pages 8 thru 15.*

# Regular Production Options

Opt. No.	Description
AG1	ADJUSTER-Six-way power seat, driver (Requires AA7)
G80	AXLE-Rear, limited slip differential (3.23 axle ratio)
C49	DEFOGGER-Rear window
6Y2	DELETE-3rd seat
AU3	DOOR LOCKS-Power
B93	GUARDS-Door edge
K05	HEATER-Engine block
DC4	LAMPS-Dual reading included with inside rearview mirror (incls. rear reading lamps)
B37	MATS-Carpeted front and rear (N/A with 6A3)
DG7	MIRRORS-Outside dual electric remote (Requires AU3)
DF6	MIRROR- Automatic inside rearview day/nite with reading lamps (incls. rear reading lamps)
AP9	NET-Cargo area
UL5	RADIO DELETE-Speakers, speaker wires and antenna remain
UM6	RADIO-AM/FM stereo, seek/scan with cassette and digital clock
K34	SPEED CONTROL-Electronic, with resume speed
G67	SUSPENSION-Auto leveling
PB1	WHEEL COVERS-Deluxe (plastic)
AA7	WINDOWS-Power with driver express down with passenger window lock-out switch