

1 9 9 3

CAPRICE

POLICE

PACKAGE



This Catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. The right is reserved to make changes at any time without notice. For further details, consult your local Chevrolet dealer or the branch office covering your area.

CAPRICE
CLASSIC
4 - DOOR
SEDAN

1993 Dimensions and Capacities

General

Wheelbase	115.9
Overall Length	214.1
Overall Width	77.0
Overall Height	56.7
Tread-Front	61.8
Tread-Rear	60.7

Front Compartment

Head Room	39.3
Shoulder Room	63.4
Hip Room	57.0
Leg Room (Maximum)	42.2

Rear Compartment

Head Room	38.1
Shoulder Room	63.4
Hip Room	56.9
Leg Room (Minimum)	39.5

Luggage Compartment Capacity

With Space-Saver Spare (cu. ft.)	20.4
--	------

Fuel Tank Capacity

(gal.)	23.0
--------------	------

Note: Dimensions in inches unless otherwise specified.

Chevrolet Caprice Classic 4-Door Sedan

Model 1BL19 Preferred Equipment Group BLAB

Standard Features Include:

- 5.0 Liter V8 engine with EFI
- 4-Speed automatic overdrive transmission
- Air Conditioning
- All-season steel-belted radial ply tires (P215/75R-15 blackwall)
- Base-coat/clear-coat paint
- Body-side moldings
- Brakes: Four-wheel anti-lock brake system ABS (front disc/ rear drum)
- Child security rear door locks
- Cloth bench seats with front center armrest
- Comfortilt steering wheel
- Brake transmission interlock
- Composite halogen headlamps
- Driver's side (air bag) Supplemental Inflatable restraint system, manual lap/shoulder safety belts for all outboard seating positions; manual lap safety belts, center seating positions.
- Dual outside rearview mirrors (LH remote)
- Electric speedometer with trip odometer
- Front ashtray with lamp, cup holders and coin holder
- Full coil suspension
- Quiet sound package
- Full Frame
- Full Wheel Covers
- Glove box lamp
- Headlamps-on reminder tone
- Intermittent windshield wipers
- Luggage compartment lamp
- Power Steering
- Scotchgard(TM) Fabric Seat Protector Includes Carpeting
- Side window defoggers
- Stainless steel exhaust
- 15" x 7" steel wheels
- AM/FM stereo with seek-scan, digital clock and dual front door mounted and dual package shelf mounted speakers
- Tinted Glass
- Underhood lamp
- Wet-arm windshield washer system

Special Equipment Option 9C1

Caprice Classic Police Package

To order Caprice Classic Police Package, model 1BL19 and Base Equipment Group BLAB plus 9C1 must be ordered. Additional RPO and SEO options may be ordered.

9C1 Standard Features Include:

- Heavy duty full perimeter frame
- 8.5" ring gear rear axle
- Special Police Pursuit Suspension includes front and rear stabilizer bars, special springs and shocks, firm-feel steering, and specific body mounts
- Tires, P225/70R15 SBR Blackwall "Speed Rated" All Season with full size spare tire. See tire chart for tire availability
- Semi-metallic front and rear brake linings with heavy duty rear brake drums and larger rear wheel cylinders
- Cooling Package, larger radiator with viscous clutch 7 blade fan includes heavy duty transmission oil cooler integral with radiator
- Engine oil cooler (external)
- Power steering fluid cooler (external)
- Alternator 140 amp Delcotron (50 amp at idle)
- Maintenance Free heavy-duty battery equivalent to 69 amp-hour, 730 CCA, 115 minutes RC
- Special calibrated transmission (use overdrive for high speed driving)
- Air Conditioning wide open throttle cut-off
- Air Conditioning head pressure relief
- Transmission Low Gear Blockout (prevents manual downshift to first gear)
- Hoses - silicon radiator and heater includes worm drive hose clamps
- Special Balanced Drive Shaft
- Digital Speedometer Certified 1 MPH increments 0 to 199 MPH, includes: Trip Odometer, Tachometer, Gauges (Oil, Temp, Volts) plus Warning Lights
- Production Carpeting
- Anti-Corrosion Hot Melt Pads under front and rear floor insulators
- Radio Bonding Strap Package
- Provision for Horn/ Siren Circuit Connection (also used with Option 6J4)
- Auxiliary Junction Block in engine compartment
- Trunk Opener, electric left-side of steering column
- Single Key Locking System - random key code for each vehicle; one key operates ignition and all other locks. (For single key to operate entire fleet, see Fleet Coded Single Key Locking System on page 6.)
- Heavy duty bench seats with front seat armrest - cloth trim
- Auxiliary Fuse Block provides six additional fused circuits at 20 amps each (See description on page 8)
- Full stainless steel wheel covers

Caprice Classic 'LS' Police Package

To order Caprice Classic 'LS' Police Package, model 1BN19 and Base Equipment Group BNAB plus 9C1 must be ordered. Additional RPO and SEO options may be ordered.

Includes all standard features in the 9C1 Caprice Classic Police Package with the following changes:

- 15" x 7" Aluminum Wheels
- Carpeted front and rear floor mats
- Cloth 55/ 45 split seat with armrest (not heavy duty)
- Deluxe interior trim including trunk
- Door- mounted courtesy lamps
- Dual reading lamps in rear-view mirror includes rear seat reading lamps
- "Caprice Classic LS" exterior emblems
- Body side pin striping (stripe color determined by exterior body color)
- Power door locks
- Power windows with driver express down and passenger window lock-out switch
- AM/FM stereo with seek-scan, stereo cassette tape player with auto reverse, Extended Range Sound System, and digital clock
- Luggage compartment area hold-down net
- Guards-door edge

Note: Special paint is not available on the Caprice Classic 'LS'

Powertrain Combinations

Powertrains Available (must order one)

ENGINES	TYPE	DISPLACEMENT LITERS/CU. IN.	ENGINE FUEL SYSTEM	TRANSMISSION	AXLE OPTION	AXLE RATIO	HORSE POWER	TORQUE FT.LB.	FUEL ECONOMY CITY/HWY
L03 Standard	V8	5.0/305	Electronic Fuel Injection	MXO 4L60 4-speed Auto w/OD	† GM8 † GU4	2.56Std. 3.08Opt.	170 @ 4200 rpm	255 @ 2400 rpm	*17/26
LO5	V8	5.7/350	Electronic Fuel Injection	MXO 4L60 4-speed Auto w/OD	† GU6	3.42	205 @ 4400 rpm	300 @ 2400 rpm	*14/20

*Projected EPA label values

† Limited slip is available with these axles (option G80)

Note: It is General Motors policy that the Chevrolet Police Package equipped with the 5.7 engine be sold only for usage by U.S., state, or local government primarily for police, law enforcement, or fire-fighting purposes.

Tires:

Tires-Speed Rated (must order one)

INCLUDED with 9C1 Police Package

SEO No.	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
5AQ & R4Y	Goodyear	Five	P225/70R15 SBR Blackwall	H	All Season (Eagle GT + 4)
5AQ & R4Z	General	Five	P225/70R15 SBR Blackwall	H	All Season (XP2000AS)

OPTIONAL with 9C1 Police Package

SEO No.	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
QQG & R4Y *	Goodyear	Five	P235/70R15 SBR Blackwall	V	All Season (Eagle GT + 4)
QQG & R4Z *	General	Five	P235/70R15 SBR Blackwall	V	All Season (XP2000AS)
QQR*	Goodyear	Five	P235/70R15 SBR White Stripe	V	All Season (Eagle GT + 4)
5AN	General	Five	P225/70R 15 SBR White Stripe	H	All Season (XP2000AS)

* Required with LO5 (5.7L) Engine. (If P225/70R15 tires are ordered with the LO5 (5.7L) Engine, option VZ2 Speed Limiter (130 mph) is required.

Note: Speed ratings at 35 psi; 'H' rating 130 mph, 'V' rating 149 mph.

Seats:

Caprice Classic

Heavy Duty Seats-Front and Rear

(Not available on Caprice Classic 'LS')

SEAT TYPE	VINYL (FRONT/REAR)		CLOTH (FRONT/REAR)		CLOTH-FRONT VINYL-REAR		POWER SEATS AVAILABLE
Full Bench A52 (Inc. w/9C1)	Dark Blue	GDD1	Dark Blue	PDD1	Dark Blue	TDD1	N/A
	Beige	GEE1	Beige	PEE1	Beige	TEE1	
Split 45/45 AS7 w/reclining seat back	Dark Blue	GDD4	Dark Blue	PDD4	Dark Blue	TDD4	*Driver Only
	Beige	GEE4	Beige	PEE4	Beige	TEE4	
Split 55/45 AM6 w/armrest, reclining seat back	Dark Blue	GDD5	Dark Blue	PDD5	Dark Blue	TDD5	*Driver and Passenger w/o 6C9
	Beige	GEE5	Beige	PEE5	Beige	TEE5	
	Ruby	GFF5	Ruby	PF5	Ruby	TF5	
	Gray	GQQ5	Gray	PQQ5	Gray	TQQ5	
Full Bench Rear	Heavy-Duty Rear Seat is included when Heavy-Duty Front Seat is Ordered						
	Color Selected for Front Seat Determines Rear Seat						

*AA7 Power Windows are required with AG 1 Power Seats

Note: Trim material will be same cloth as standard Caprice Classic cloth.

Caprice Classic 'LS'

Non Heavy Duty-Front and Rear (not available on Caprice Classic)

SEAT TYPE	CLOTH (STANDARD)	LEATHER	POWER SEATS AVAILABLE
Split 55/45 with Armrest reclining seat back AM6	Dark Blue CDD5	Dark Blue ADD5	*Driver and Passenger
	Beige CEE5	Beige AEE5	
	Gray CQQ5	Gray AQQ5	
	Ruby CFF5	Ruby AFF5	

*AA7 Power Windows are required with AG1 Power Seats

Note: Trim will be same as Caprice Classic 'LS'

Special Equipment Options

No.	Description	Caprice Classic	Caprice Classic 'LS'
6F8	ASHTRAY-Auxiliary, located in front doors	O	N/A
6C9	CONDUIT-Routed from dash to trunk. Requires 6A3 (N/A with AG2)	O	N/A
6A3	COVERING-Rubber floor replaces production carpeting	O	N/A
6N1	HANDLE-Inside driver door releases lock when opening door	O	O
6B2	HANDLES-Rear door inoperative - doors can only be opened from outside, remote rod is shipped loose in trunk for future installation	O	O
6N5	HANDLES-Rear window inoperative	O	O
6B7	HOLE IN ROOF-On centerline (Reqs. 6F5) N/A with 6J5	O	O
6J5	HOLE IN ROOF-On right side (Reqs. 6F5) N/A with 6B7	O	O
6A5	KEYS-Single key locking system, entire fleet coded alike (specific code)	O	O
6E2	KEYS-Single key locking system, entire fleet coded alike (specific code)	O	O
6E8	KEYS-Single key locking system, entire fleet coded alike (specific code)	O	O
6C7	LAMP-Front Auxiliary dome	O	O
7Y2	LAMP-Door open warning (N/A with 7Y6)	O	N/A
7Y6	LAMP-Inoperative dome (N/A with 7Y2)	O	O
6J6	LIGHTS-Rear window shelf	O	O
T53	LIGHTS-Alternate Flashing Trunk Lid Warning	O	O
6N6	LOCKS-Rear door inoperative	O	O
B48	MAT-Rubber trunk (replaces base felt mat)	O	N/A
B81	MOLDING DELETE-All Body side	O	N/A
6Y1	MOLDING NON-INSTALLED-Body side, front doors only	O	O
6G2	ROOF REINFORCEMENT-Plate located on centerline of vehicle	O	O
B48	TRIM - Deluxe trunk	O	S
6Z3	SENSOR-Vehicle speed for use with VASCAR	O	O
8X3	SHOCKS-Bilstein (replaces production shocks)	O	O
VZ2	SPEED LIMITER-Required with 5.7 Liter engine when P225/70R15 tires are ordered	O	O
7X9	SPOTLIGHT PROVISION-Left and right hand	O	O
7X8	SPOTLIGHT PROVISION-Left hand	O	O
7X7	SPOTLIGHTS-Left and right hand	O	O
7X6	SPOTLIGHT-Left hand	O	O
6B4	TIRE RELOCATION-Spare tire relocated	O	O
6H6	TRUNK OPENER-Right side of steering column	O	N/A
WX7	WIRING-Auxiliary speaker	O	O
6C8	WIRING-Coaxial radio antenna cable	O	O
6J2	WIRING-For flasher and grille lights	O	O
6J3	WIRING-For flasher, grille lights and speakers (N/A with 6J2)	O	O
6J4	WIRING-For horn/siren circuit	O	O
6J1	WIRING-Ignition and main power supply (Replaces fuse block included in 9C1)	O	O
6F5	WIRING-Roof 10 wire (Requires 6B7 or 6J5)	O	O

N/A = Not Available; O = Optional; S = Standard

For Detailed Descriptions of Special Equipment Options, see pages 10 thru 19.

Regular Production Options

No.	Description	Caprice Classic	Caprice Classic 'LS'
AG1	ADJUSTER-Six-way power seat, driver (Requires AA7)	O	O
AG2	ADJUSTER-Six-way power seat, passenger; N/A with 6C9 (Requires AG1)	O	O
U75	Antenna - Power	N/A	N/A
G80	AXLE-Rear, limited slip differential	O	O
C49	DEFOGGER-Rear window	O	O
UW1	DIAGNOSTIC SYSTEM-(Indicates low coolant, fuel, oil and fluids)	N/A	N/A
AU3	DOOR LOCKS-Power	O	S
B93	GUARDS-Door edge	O	S
KO5	HEATER-Engine block	O	O
AUO	KEYLESS ENTRY	N/A	N/A
DC4	LAMPS-Dual reading incls. inside rearview mirror, (incls. RR reading lamps)	O	S
C71	LAMPS-Front door courtesy	N/A	S
T87	LAMPS-Cornering	N/A	N/A
B37	MATS-Carpeted front and rear (N/A with 6 A3)	O	S
DF6	MIRROR- Automatic inside rearview day/nite, with reading lamps (incls. RR lamps)	O	O
DL8	MIRRORS-Heated electric outside rear view	N/A	N/A
D64	MIRRORS-Lighted vanity	N/A	N/A
DC7	MIRRORS-Outside dual electric remote (Requires AU3)	O	O
AP9	NET-Luggage area hold-down	O	S
D84	PAINT-Two tone (Regular production paint only)	O	N/A
D85	PIN STRIPPING-Body side (N/A with special paint)	O	S
UL5	RADIO DELETE-Speakers, speaker wires and antenna remain	O	O
U1C	RADIO-AM/FM seek-scan compact disc with digital clock	N/A	N/A
UM6	RADIO-AM/FM stereo, seek/scan with cassette and digital clock	O	S
UU8	RADIO-Delco/Bose AM/FM seek-scan cassette with digital clock	N/A	N/A
U1B	RADIO-Delco/Bose AM/FM seek-scan compact disc with digital clock	N/A	N/A
K34	SPEED CONTROL-Electronic, with resume speed	O	O
V92	TRAILERING PACKAGE	N/A	N/A
B18	TRIM-Deluxe interior includes trunk	N/A	S
PD4	WHEELS-Aluminum 15" x 7"	N/A	S
PB1	WHEEL COVERS-Deluxe(Plastic)	O	N/A
AA7	WINDOWS-Power with driver express down and passenger lock-out switch	O	S

N/A = Not Available; O = Optional; S = Standard