

1996 chevrolet specialty vehicles

# caprice

*police package*



# Caprice Classic Four Door Sedan

## Standard Equipment Summary:

Some standard equipment is deleted or replaced by special equipment when the police package 9C1 is ordered.

- 4.3 Liter V8 engine with SFI
- 4-Speed electronic automatic overdrive transmission
- 2.93 axle ratio with 7 1/2 " ring gear (N/A with police package)
- Air Conditioning with environmentally friendly refrigerant, (R134A)
- All-season steel-belted radial ply tires (P215/75R-15 blackwall)
- Brakes: Four-wheel anti-lock system (front disc/rear drum)
- Brake transmission interlock
- Power Steering
- Stainless steel exhaust
- 15" x 7" steel wheels
- Full Wheel Covers
- Full Frame
- Base-coat/clear-coat paint
- Wide Body-side moldings
- Composite quartz-halogen headlamps with replaceable bulbs
- Dual rear-folding outside mirrors (LH remote)
- Tinted Glass
- Wet-arm windshield washer system
- Intermittent windshield wipers
- Tilt steering wheel
- Cloth 55/45 front seat with center storage armrest
- Scotchgard™ Fabric Protector, includes seats and carpeting
- Full Carpeting
- Carpeted floor mats, front and rear
- Full trunk trim (optional on police package)
- Driver and passenger side Supplemental Inflatable Restraint system (air bags), manual lap/shoulder safety belts for all outboard seating positions; manual lap safety belts, center seating positions.
- Side-guard door beams
- Energy absorbing steering column
- Power door locks
- Child security rear door locks
- Pass-Key Theft Deterrent (N/A with Police Package)
- Electric digital speedometer with trip odometer, gauges, oil change and low oil indicators.
- Headlamps-on, seat-belt and key reminder tone
- AM/FM stereo radio with seek-scan, digital clock, dual front door mounted and dual rear mounted speakers
- Delayed illumination entry system
- Underhood lamp
- Glove box lamp
- Luggage compartment lamp

# Caprice Classic Police Package

To order Caprice Classic Police Package, model 1BL19 and Base Equipment Group 1SX plus 9C1 must be ordered. Additional RPO and SEO options may be ordered, see option pages in this section.

## 9C1 Features Include:

- Heavy duty full perimeter frame
- 3.23 Performance axle with 8.5" ring gear
- Special Police Pursuit Suspension includes front and rear stabilizer bars, special springs and shocks, firm-feel steering, and specific body mounts
- Tires, P225/70R15 SBR Blackwall "V" Speed Rated All Season with full size spare tire. See tire chart for tire availability
- Front and Rear disc brakes with ABS and semi-metallic brake pads
- Cooling Package, includes transmission oil cooler integral with radiator and dual electric fans.
- Transmission External air-to-oil (KD1) is included when 5.7L V8 is ordered; available with 4.3L V8
- Engine oil cooler (external) air-to-oil
- Power steering fluid cooler (external)
- Hoses - silicon radiator and heater; includes worm drive hose clamps
- Delcotron 140 amp Alternator (See specifications section)
- Maintenance Free 770 CCA heavy-duty battery (See specifications section)
- Special calibrated transmission (use overdrive for high speed driving)
- Transmission Low Gear Blockout (prevents manual downshift to first gear)
- Wiring Provision to permit installation of a customer furnished headlamp flashing system. Wiring Provision 6J3 must be ordered to get a headlamp flashing system control wire from flasher unit to vehicle interior.
- 15 x 7 Heavy Duty Steel Wheels
- Bolt on center hub caps
- Special Balanced Drive Shaft
- Air Conditioning wide open throttle cut-off
- Air Conditioning head pressure relief
- Digital Speedometer Certified 1 MPH increments 0 to 199 MPH, includes: Trip Odometer, Gauges (Oil, Temp, Volts) plus Warning Lights and OFF switch for Speedometer light and radio display
- Trunk Opener, electric, left-side of steering column near headlight switch; Operates without ignition ON
- Single Key Locking System - random key code for each vehicle; one key operates ignition and all other locks. ( For single key to operate entire fleet, see Fleet Coded Single Key Locking Systems in Special Equipment Option listing).
- Heavy duty 45/45 Front Bucket Seats with minimum spacing between seats of 9" and Heavy duty bench rear seat
- Anti-Corrosion Hot Melt Pads under front and rear floor insulators
- Radio Suppression Bonding Strap Package
- Provision for Horn/Siren Circuit Connection
- Auxiliary Junction Block in engine compartment
- Auxiliary Fuse Block provides six additional fused circuits at 20 amps each

Note: For detailed description of Special Equipment Options see Illustrations section.

## Caprice Classic Police Package with Custom Interior

To order Caprice Classic Police Package with Custom Interior, model 1BL19 and base equipment group 1SX plus 9C1 and Option B18 must be ordered. Note: Special paint, and heavy duty seats are not available with Custom Interior B18.

- Power Driver Seat (AG1)
- Power windows with driver express down and passenger windows lockout (AA7)
- Power LH and RH outside mirrors (DE3)
- Door-mounted courtesy lamps (C71)
- Luggage compartment area hold-down net (AP9)
- LH Visor with covered mirror (DD2) (RH Visor with covered mirror standard)
- Deluxe trunk trim (B46)

# Caprice Powertrain and Tires

## Powertrains Available (must order one)

OPTION	TYPE	ENGINE		TRANSMISSION		AXLE	
		DISPLACEMENT LITERS/CU. IN.	FUEL SYSTEM	OPTION	TYPE	OPTION	RATIO
Standard <b>L99</b> Single Exhaust	V8	4.3/265	Sequential Fuel Injection	MXO	4L60E Electric 4-speed Auto w/OD	GU5	*3.23
Optional <b>LT1</b> Dual Exhaust	V8	5.7/350	Sequential Fuel Injection	MXO	4L60E Electric 4-speed Auto w/OD	GU4	*3.08

\*Limited slip is available with these axles by ordering option G80.

Note: Police Package is only available with Federal Emissions (FE9).

## Tires: Speed Rated (must order one)

### Included with 9C1 Police Package

OPTION	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
QRB & R4Y	Goodyear	Five	P225/70R15 SBR Blackwall	V	All Season (RSA)
QRB & R4Z	General	Five	P225/70R15 SBR Blackwall	V	All Season (XP2000V4)

### Optional with 9C1 Police Package

OPTION	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
QRC & R4Y	Goodyear	Five	P225/70R15 SBR White Striped	V	All Season (RSA)
QRC & R4Z	General	Five	P225/70R15 SBR White Striped	V	All Season (XP2000V4)

Note: "V" Speed Rating @ 35 PSI: 147 mph.

# Caprice Seats

## Caprice Classic Police Heavy Duty Seats-Front and Rear

Not available with Custom Interior B18

SEAT		VINYL (FRONT/REAR)		CLOTH (FRONT/REAR)		CLOTH—FRONT VINYL—REAR		POWER SEATS AVAILABLE *
TYPE	OPTION	COLOR	CODE	COLOR	CODE	COLOR	CODE	
Bucket 45/45 w/reclining seat back	AS7	Med. Blue	30N	Med. Blue	30E	Med. Blue	30D	Driver (AG1) and Passenger (AG2)
		Med. Beige	64N	Med. Beige	64E	Med. Beige	64D	
		Ruby	79N	Ruby	79E	Ruby	79D	
		Gray	14N	Gray	14E	Gray	14D	
Split 55/45 w/armrest, reclining seat back	AM6	Med. Blue	30N	Med. Blue	30E	Med. Blue	30D	
		Med. Beige	64N	Med. Beige	64E	Med. Beige	64D	
		Ruby	79N	Ruby	79E	Ruby	79D	
		Gray	14N	Gray	14E	Gray	14D	
Full Bench Rear		Heavy-Duty Rear Seat is included with Heavy-Duty Front Seat Color Selected for Front Seat Determines Rear Seat Color						

\*AA7 Power Windows are required with AG1 Driver Power Seats. Passenger Power Seat AG2 requires AG1 and is not available with conduit 6C9.

Note: Seat Option and Color Code must be specified.

## Caprice Classic Police Package with Custom Interior B18

Seats and Trim will be the same as Retail Caprice Classic

SEAT		CLOTH (STANDARD)		LEATHER (OPTIONAL)		POWER SEATS AVAILABLE
TYPE	OPTION	COLOR	CODE	COLOR	CODE	
Split 55/45 w/armrest, reclining seat back	AM6	Med. Blue	30C	Dark Blue	302	Driver (AG1) Standard and Passenger (AG2) Optional
		Med. Beige	64C	Beige	642	
		Gray	14C	Gray	142	
		Ruby	79C	Ruby	792	

Note: Seat Option and Color Code must be specified.

# Caprice Special Equipment Options

For detailed Descriptions of Special Equipment Options, see Illustrations section.

No.	Description	Caprice Classic	B18 Option
6F8	ASHTRAY – Auxiliary, located in front doors	0	N/A
KL5	BI-FUEL NATURAL GAS CONVERSION – (Requires 4.3L engine, 3.23 axle and P225/70R15 tires)	0	0
6C9	CONDUIT – Routed from dash to trunk. Requires 6A3 (N/A with AG2 Power Seat)	0	N/A
KD1	COOLER – Auxiliary external transmission oil (included with 5.7L engine)	0	0
6A3	COVERING – Rubber floor replaces production carpeting (N/A with carpeted mats)	0	N/A
6N1	HANDLE – Inside driver door releases lock when opening door	0	0
6B2	HANDLES – Rear door inoperative (doors can be opened only from outside)	0	0
6N5	HANDLES – Rear window inoperative	0	0
6B7	HOLE IN ROOF – On centerline requires 6F5 wiring (N/A with 6J5 hole)	0	0
6J5	HOLE IN ROOF – On right side requires 6F5 wiring (N/A with 6B7 hole)	0	0
6A4	KEYS – Single key system, each vehicle coded different (Standard with police package)	S	S
6A5	KEYS – Single key system, entire fleet coded alike (specific key code)	0	0
6E2	KEYS – Single key system, entire fleet coded alike (specific key code)	0	0
6E8	KEYS – Single key system, entire fleet coded alike (specific key code)	0	0
6C7	LAMP – Front Auxiliary dome	0	0
7Y2	LAMP – Door open warning (N/A with 7Y6 dome lamp inoperative)	0	N/A
7Y6	LAMP – Inoperative dome (N/A with 7Y2 door open warning)	0	0
6J6	LIGHTS – Rear window shelf auxiliary Stop/Turn signals	0	0
T53	LIGHTS – Alternate Flashing Trunk Lid Warning	0	0
6N6	LOCKS – Rear door inoperative	0	0
B42	MAT – Rubber trunk	0	0
B81	MOLDING DELETE – All Body side	0	N/A
6Y1	MOLDING NON-INSTALLED – Body side, front doors only	0	0
6G2	ROOF REINFORCEMENT – Plate located on centerline of vehicle	0	0
8X3	SHOCKS – Bilstein (replaces production shocks)	0	0
7X6	SPOTLIGHT – Left hand	0	0
7X7	SPOTLIGHTS – Left and right hand	0	0
7X8	SPOTLIGHT PROVISION – Left hand	0	0
7X9	SPOTLIGHT PROVISION – Left and right hand	0	0
6B4	TIRE RELOCATION – Spare tire relocated to LH rear compartment floor	0	0
B46	TRIM – Deluxe trunk	0	S
6H6	TRUNK OPENER – Right side of steering column (lower right of radio, replaces 6H7)	0	0
WX7	WIRING – Auxiliary speaker	0	0
6C8	WIRING – Coaxial radio antenna cable-RG58AU roof to trunk	0	0
6J1	WIRING – Ignition and main power supply (Replaces 7Z5 fuse block included in 9C1)	0	0
6J4	WIRING – For horn/siren circuit, inline connection for customer furnished switch	0	0
6F5	WIRING – Roof, 10 wires (Requires 6B7 or 6J5 hole in roof. N/A w/UV8 mobile phone)	0	0
6J3	WIRING – For grille lights, grille light flasher and grille speaker	0	0

N/A = Not Available; 0 = Optional; S = Standard

Note: ■ VASCAR adapter not available from Chevrolet. Contact Traffic Safety Systems Inc. (Manufacturer of Vascar) at 804-353-3826 to purchase Vascar Electronic Odometer Module.

- For DATAVISION information call 800-DATA-HUD
- For NIGHTSIGHT information call 214-995-7511

# Caprice Regular Production Options

No.	Description	Caprice Classic	B18 Option
<b>AG1</b>	ADJUSTER – Six-way power seat, driver (Requires AA7 power windows)	0	S
<b>AG2</b>	ADJUSTER – Six-way power seat, passenger; N/A with SEO 6C9 (Requires AG1)	0	0
<b>U75</b>	Antenna – Power	N/A	N/A
<b>G80</b>	AXLE – Rear, limited slip differential	0	0
<b>C49</b>	DEFOGGER – Rear window. If rear window defogger not desired, order R9W	0	0
<b>T82</b>	HEADLAMPS – Automatic on-off	N/A	N/A
<b>K05</b>	HEATER – Engine block	0	0
<b>AU0</b>	KEYLESS ENTRY	N/A	N/A
<b>C71</b>	LAMPS – Front door courtesy	N/A	S
<b>T87</b>	LAMPS – Cornering	N/A	N/A
<b>VK3</b>	LICENSE PLATE BRACKET – Front	0	0
<b>BF9</b>	MAT DELETE – Carpeted front & rear	0	0
<b>DC4</b>	MIRROR – Inside rearview day/nite with reading lamps, requires rear reading lamps (C96) when DC4 is ordered	0	0
<b>DE5</b>	MIRRORS – Heated electric outside rear view	N/A	N/A
<b>DD2</b>	MIRRORS – Covered driver visor (covered passenger visor mirror std.)	0	S
<b>D64</b>	MIRRORS – Lighted vanity	N/A	N/A
<b>DE3</b>	MIRRORS – Outside dual electric remote	0	S
<b>AP9</b>	NET – Luggage area hold-down	0	S
<b>D90</b>	PIN STRIPING – Body side (N/A with special paint)	0	0
<b>UL5</b>	RADIO DELETE – Speakers, speaker wires and antenna remain	0	0
<b>UL0</b>	RADIO – AM/FM Stereo, seek-scan, music search cassette, auto tone and digital clock	0	0
<b>UM6</b>	RADIO – AM/FM stereo, seek/scan with cassette and digital clock	0	0
<b>K34</b>	SPEED CONTROL – Electronic, with resume speed	0	0
<b>V92</b>	TRAILERING PACKAGE	N/A	N/A
<b>B18</b>	TRIM – Custom interior (includes AA7, AG1, AP9, B46, C71, DD2, DE3)	N/A	0
<b>A90</b>	TRUNK OPENER – Located in glove compartment	N/A	N/A
<b>N91</b>	WHEEL COVERS – Wire with locks	0	0
<b>PB1</b>	WHEEL COVERS – Deluxe (Plastic)	0	0
<b>P03</b>	WHEEL COVERS – Full stainless steel	0	0
<b>PD4</b>	WHEEL – Aluminum 15 x 7	N/A	N/A
<b>AA7</b>	WINDOWS – Power, driver express down with F/R passenger lock-out switch on driver's door	0	S

N/A = Not Available;

0 = Optional;

S = Standard

# 1996 Caprice Police Specifications

Dimensions are in inches unless otherwise specified.

## GENERAL

Wheelbase:	115.9
Overall length:	214.1
Overall width:	77.5
Overall height:	55.7
Tread Front:	61.8
Tread Rear:	62.3

## FRONT COMPARTMENT

Head room:	39.2
Shoulder Room:	63.
Hip Room:	57.0
Leg Room: (Maximum)	42.2

## REAR COMPARTMENT

Head Room:	37.9
Shoulder Room:	63.4
Hip Room:	56.9
Leg Room: (Minimum)	39.5

## LUGGAGE COMPARTMENT CAPACITY

Luggage capacity (with space-saver) (cu. ft.)	20.4
EPA passenger compartment volume index (cu. ft.)	114.2

## FUEL TANK CAPACITY

(gal.)	23.0
--------	------

## AERODYNAMICS

Coefficient of drag	.34
---------------------	-----

## EPA FUEL ECONOMY RATINGS

	CITY/HIGHWAY
4.3L Engine	18/26
5.7L Engine	17/26

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicle's condition.

## ALTERNATOR

Type:	Delco CS-144
Amps	140
Amps @ idle	72/108

### Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

## ENGINE

	STD.	OPT.
Type:	(L99) V8	(LT1) V8
Displacement: Liters (cu. in.)	4.3 (265)	5.7 (350)
Horsepower/RPM:	200 @ 5000	260 @ 5000
Torque/RPM:	240 @ 2400	330 @ 2400
Fuel System:	SFI	SFI
Compression Ratio:	9.0:1	10.5:1
Exhaust:	Single	Dual

## TRANSMISSION

Automatic electronic with overdrive	4-speed
-------------------------------------	---------

## AXLE

Ratio	3.23	3.08
-------	------	------

## BRAKES

Dual hydraulic, power system	Disc/Disc
Front: size/swept area (sq. in.)	12" x 1"/242.3
Rear: size/swept area (sq. in.)	11.6" x .8"/197.3
Total brake-swept area (sq. in.)	439.6

## TIRES

Type:	All Season "V" Speed Rated
Size:	P225/70R15

## WHEELS

Type:	Vented Steel
Size:	15 x 7

## CHASSIS

Frame:	Full Perimeter Steel
Front Suspension:	Independent - SLA, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Tuned Shocks
Rear Suspension:	Salisbury 4-Link, Coil Steel Alloy Spring, Steel Anti-Roll Bar, Tuned Shocks
Steering Type:	Power, Internal Gear with Power piston Vane Type Pump
Steering Ratio:	12.7:1


## BATTERY

Type:	Delco Freedom
BCI Group Size:	78
Volts	12
Amp Hour Rating	69
Cold Cranking Amps @ 0°F (-18°C):	770
Reserve Capacity @ 80°F (27°C):	115

### Features:

- Maintenance-Free Design
- Built-In Hydrometer
- Reinforced Polypropylene Case
- Built-In Flame Arrester
- Side Mounted Terminals

## CHEVROLET POLICE V8 GENERATOR MAXIMUM OUTPUT



COMPUTER CONTROLLED IDLE SPEED RANGE (575-800 RPM)